# Interactive Smart Board UL-IB7508

HUIYUE Interactive whiteboard is wide application in the conference office and becoming a strong assistant of teachers. It can replace a series of equipment widely existing in conference rooms and classroom, such as projectors, computers, television and so on.

The intelligent experience, high-definition display, smooth touch, teleconference and other rich functions have updated the traditional meeting and class methods, and also solved various inefficiencies and inconveniences in the meetings over the years.

➢ Main Features

4K Super Clear Display

Full 3840*2160 high definition images can be displayed

Muti-touch Operation

20-point touch allows several people to write at the same time

Robust Dual System

Android and Windows dual system supports more applications

Scan Code to Share

Scan code to easily store and share meeting records

➤ Main Features

Wireless Screen Cast

Transmit the content wirelessly with NFC connectivity for mirroring(screen cast) enable, realizing real-time demonstration

Precise Written

1mm recognition accuracy make zooming, mobile dragging, roaming and other shortcut operation easy

Wide Viewing Angle

The wide 178°/178° viewing angle can ensure clear images from all angles

➢ Specification

MODEL		UL-IB6508
Panel	Panel size	75''
	Display area	1428 x 803mm
	Resolution	3840 x 2160
	Aspect ratio	16:9
	Panel Type	D-LED technology, Brightness 450cd/m²
	Contrast ratio	4000:1
	Viewing angle	178°/178°
	Display color	16.7 Billion (8bit)
	NFC	NFC screen cast optional
	Touch type	Infrared multi points touch
	Touch precision	≤1mm
	Tempered glass	4mm, Morse level 7
	Built in	48/13MP camera and 8 array microphone
Android	Operating system	Android 14.0
	CPU	8-core Cortex A55
	GPU	64 bit (dual core GPU) Arm Mali-G52 MP2 950Mhz
	RAM	8GB DDR4
	Storage	128GB EMMC5.1
OPS Computer (Optional)	Operating system	Windows 7 / Windows 10
	CPU	I5 / I7-11390H 3.4 Ghz
	Memory	RAM 8GB
	Storage	256 GB SSD
Interfaces	Input	RJ45 IN x1, RS232 x1, AV IN x1, PC AUDIO x1, TOUCH USB x1 , HDMI x3 USB Type C *1, USB x3, (2USB shared), TF(Max.128g) x1
	Output	Earphone x1, Coax x1
	Warranty	3 Years on touch panel and 1 year on all other parts including OPS and lifetime technical support

➢ Specification

MODEL	UL-IB7508
Machine Parameters	
Power supply	AC 100V~250V,50/60HZ
Power consumption	248W (Max)
Speaker	Stereo 20W
Material	Aluminum alloy front frame, metal back cover
Wireless	Bluetooth 2.4G, Wifi 2.4/5Ghz 802.11a/b/g/n/ac
Whiteboard application	Inbuilt with handwriting and shape recognition
Color	Black or silver
Language	Multiple Language support including Chinese,English,Hindi, Spanish, Nepali and many other
Net weight	52±1 KG
Gross weight	72±1 KG
Product size	1706x 984 x 58mm
Carton size	1865x 230 x 1195mm
Installation	Wall mount, freestanding mount (Optional)
Accessories	Remote control x1 AC power cable (1.5M) x1 Wi-Fi antenna x1, wall mount bracket Magnetic writing pen (Optional)

Wall Mount Bracket

Floor Standing Bracket

Intelligent Remarks
Record the inspiration in meetings at any time through the electronic whiteboard

Remote Video Conference
With powerful remote video conferencing function to achieve a decisive victory thousands of miles away

Interactive Teaching
Combined with sounds, images, videos, annotation drawing and so on to create an infectious teaching atmosphere

➢ Schematic Drawing