



LCD Interactive Whiteboard UL-IB8608



HUIYUE interactive whiteboard is wide application in the conference office and becoming a strong assistant of teachers. It can replace a series of equipment widely existing in conference rooms and classroom, such as projectors, computers, television and so on.

The intelligent experience, high-definition display, smooth touch, teleconference and other rich functions have updated the traditional meeting and class methods, and also solved various inefficiencies and inconveniences in the meetings over the years.

➤ Main Features



4K Super Clear Display

Full 3840*2160 high definition images can be displayed




Muti-touch Operation

10-point touch allows several people to write at the same time



Robust Dual System

Android and Windows dual system supports more applications



Scan Code to Share

Scan code to easily store and share meeting records

➤ Main Features




Wireless Screen Cast

Transmit the content wirelessly,
realizing real-time demonstration



Precise Written

1mm recognition accuracy make
zooming, mobile dragging, roaming
and other shortcut operation easy



Wide Viewing Angle

The wide 178°/178° viewing
angle can ensure clear
images from all angles

➤ Specification

	MODEL	UL-IB8608
Panel	Panel size	86''
	Display area	1895.04 x 1065.96mm
	Resolution	3840 x 2160
	Aspect ratio	16:9
	Brightness	450cd/m ²
	Contrast ratio	2000:1
	Viewing angle	178°/178°
	Display color	16.7 Billion (8bit)
	Touch type	Infrared multi points touch
	Touch precision	≤1mm
	Tempered glass	4mm, Morse level 7
Android	Operating system	Android 14.0
	CPU	8-core Cortex A55
	Memory	8GB
	Storage	128GB
OPS Computer (Optional)	Operating system	Windows 7 / Windows 10
	CPU	I5 / I7-11800H 2.9 GHZ
	Memory	8GB
	Storage	256GB SSD
Interfaces	Input	RJ45 IN x1, RS232 x1, AV IN x1, YPBPR x1 PC AUDIO x1, VGA x1, VGA&DP TOUCH x1 DP x1, HDMI TOUCH x2, HDMI x2 USB FL x1, USB x1, USB touch*1
	Output	RJ45 OUT x1, HDMI OUT x1 Earphone x1, Coax x1

➤ Specification

	MODEL	UL-IB8608
Machine Parameters	Power supply	AC 100V~240V,50/60HZ
	Power consumption	350W (Max)
	Speaker	Stereo 20W
	Material	Aluminum alloy front frame, metal back cover
	Camera	48MP
	Color	Black or silver
	VESA	400 x 400mm
	Net weight	95±1 KG
	Gross weight	105±1 KG
	Product size	1953.3x 1151.42x 93mm
	Carton size	2101x 1338 x 220mm
	Installation	Wall mount, freestanding mount (Optional)
	Accessories	Remote control x1 AC power cable (1.5M) x1 Wi-Fi antenna x1, Magnetic writing pen (Optional)



Wall Mount Bracket



Floor Standing Bracket





Intelligent Remarks

Record the inspiration in meetings at any time through the electronic whiteboard

Remote Video Conference

With powerful remote video conferencing function to achieve a decisive victory thousands of miles away



Interactive Teaching

Combined with sounds, images, videos, annotation drawing and so on to create an infectious teaching atmosphere



➤ Schematic Drawing

